

Pedestrian Signals (16")

Captive wing nut style
door latch assemblies

Vandal tabs on
each side to
prevent
unauthorized
access

Three hinge fins for
greater strength



All external hardware is stainless steel

Features:

- > **Invertable design:** Door is attached using stainless steel ball pins for easy door removal and may swing from either end of the body (for left or right of door mounting).
- > **One style universal maintenance housing** will fit any mounting application!
- > Lens and Gasket mounted to door with four stainless steel tabs and screws using threaded brass inserts in door — **NOT glued to the door!**
- > **Rotatable sockets** (for proper lamp orientation) are standard
- > **Multiple Body options:** Die cast aluminum, Polycarbonate
- > **Multiple Door options:**
 - Black Polycarbonate w/integral "Z" style protectors
 - Black Polycarbonate, open style
 - Black Die cast aluminum, open style



LED rdy with open
door, term block

Options:

Traffic Parts, Inc.

1. Body Configuration

- N=Body not drilled
- C=Drilled for clamdoor mounting
- P=Drilled for top/bottom pipe mount
- B=Drilled for both with plugs
(Universal maintenance housing)

2. Message Configuration

- N=Body + Door only
(No lens,gasket,reflector,sockets)

| Conf | Hand | Man |
|------|--------------------------------------|---------|
| 1 | Incand* | Incand* |
| 2 | LED** | Incand* |
| 3 | LED** | LED** |
| A | LED Side by Side (Hand/Man),ILook | |
| F | LED Overlap,H/M,Cntdown,I-Look | |

*Lamps not included (use 60,67,69w)

**LED=Socket mount LED module

3. Lens Type

- N=None (LED ready) G=Glass

4. Body/Hardware Color/Mat

- Aluminum Body Options:
Y=Yellow B=Gloss Blk F=Flat Blk
G=Dk Grn L=Light Grn Z=Bronze
A=Aluminum X=Special
- Polycarbonate Body Options:
P=Yellow Q=Black R=Dk Green

5. Terminal Block Type

- 2=5 position, 20a
- 3=5 position, 30a
- N=None


6. Mounting Hardware

- N=None
- 2=Clamdoor 2 Mount (3 pos block)
- 3=Clamdoor 3 Mount (10 pos block)


7. Visor/Door (All Black)

All visors are 6" AL tunnel, black

| Door | w/o Visor | w/ Visor |
|-------------|-----------|----------|
| Z-crate, PC | N | T |
| Open, PC | P | X |
| Open, AL | Q | Y |



Clamdoor 2 Mounting



Clamdoor 3 Mounting

| | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|
| SSPED | - | | | | - | | | | | - | | | | | - | | | | |
| Option Category ➔ | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |